

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4363	(adapt or adapting or adaptation\$1) with (IEEE1394 or AV or analog \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 17:48
L2	45	l1 with impedance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 17:49
L3	29	l2 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 17:49
L4	0	l3 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:31
L5	12	l3 and switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:31

L6	3	l3 and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:31
L7	1005	(home near2 network\$3) same switch\$3 same rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:47
L8	294	(home near2 network\$3) with switch\$3 with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:48
L9	64	(home near2 network\$3) with switch\$3 with rout\$3 with (gateway\$1 or adapter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:51
L10	36	l9 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:52
L11	77	(home near2 network\$3) with switch\$3 with rout\$3 with (gateway\$1 or adapter\$1 or modem\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:00

L12	39	l11 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:00
L13	0	l2 and gateway\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:00
L14	0	(adapt or adapting or adaptation\$1) with impedance with gateway\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:01
L15	17354	modem with Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:03
L16	34	l15 with transmit\$5 with (IEEE1934 or AV or analog\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:03
L17	17	l16 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:03

L18	14	(home near2 network\$3) with switch\$3 with rout\$3 with (modem\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:05
L19	3	l18 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:05
L20	66	impedance with gateway\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:10
L21	33	l20 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:10
L22	19087	rout\$3 with (IEEE1394 or AV or analog\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:44
L23	263	rout\$3 with (IEEE1394 or AV or analog\$3) same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:44

L24	11	l23 same broadcast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:44
L25	10	l24 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:45
L26	316	rout\$3 with (IEEE1394 or AV or analog\$3) same broadcast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:46
L27	245	l26 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:46
L28	3	("6404276").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:48
L29	1	l28 and driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:48

L30	1	l28 and (driver near2 (strength or impedance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:49
L31	1	l28 and (driver and impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:50
L32	1	l28 and (driver same impedance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:50
L33	50	driver with impedance with (adapt or adapting or adaptation\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:51
L34	38	l33 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 19:52
L35	138	rout\$3 with (IEEE1394 or AV or analog\$3) with broadcast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:10

L36	97	l35 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:10
L37	35	rouT\$3 with (IEEE1394 or AV or analog\$3) with broadcast\$3 same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:10
L38	22	l37 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:11
L39	5	l38 and Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:17
L40	124	rouT\$3 with (IEEE1394 or AV or (analog or analog)) with broadcast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:22
L41	25	l40 with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:23

L42	27	l40 with router\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:23
L43	14	l42 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:23
L44	833	rout\$3 with (IEEE1394 or AV or (analog or analog)) with transmit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:24
L45	13	l44 same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:24
L46	6	l45 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 20:24
S1	0	09/347241	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 17:32

S2	44	"347241"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 17:50
S3	3	("6404276").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 17:51
S4	5788	hybrid near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 09:44
S5	10	S4 same UTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 09:44
S6	7	S5 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 09:44
S7	6391	IP with (non-IP or analog\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 09:47

S8	9	S7 same UTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 09:47
S9	4	S8 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 09:47
S10	23275	(370/328,338,352,353,354,355,356,400,401,493).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 09:47
S11	3	("6404276").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:08
S12	1	S11 and impedance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:08
S13	372	satellite with impedance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:10

S14	0	S13 same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:10
S15	0	S13 same UTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:11
S16	0	S13 and UTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:11
S17	9077	(non-IP or analog\$2) with impedance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:11
S18	2	S17 same UTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:11
S19	50	S17 same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:12

S20	37	S19 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:12
S21	91	S7 and UTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:23
S22	536	S7 same (UTP or "Cat-5" or Cat\$2 or (twisted near2 pair) or cabl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:25
S23	355	S22 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:25
S24	82	S23 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:26
S25	6580	satellite same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:57

S26	17	S25 same UTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:57
S27	16	S26 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 10:57
S28	5788	hybrid near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:38
S29	1537	S28 same (cabl\$3 or wir\$3 or (Cat near2 "5") or Cat\$1"5" or UTP or (twisted near2 pair))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:38
S30	1107	S28 with (cabl\$3 or wir\$3 or (Cat near2 "5") or Cat\$1"5" or UTP or (twisted near2 pair))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:38
S31	33	S30 same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:39

S32	18	S31 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:39
S33	42	S29 same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:39
S34	22	S33 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:39
S35	30927	home near2 network\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:46
S36	7502	S35 same (gateway\$2 or switch\$2 or router\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:46
S37	4789	S35 with (gateway\$2 or switch\$2 or router\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:46

S38	390	S37 with (cabl\$3 or wir\$3 or (Cat near2 "5") or Cat\$1"5" or UTP or (twisted near2 pair))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:47
S39	215	S38 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:47
S40	23275	(370/328,338,352,353,354,355,356,400,401,493).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:47
S41	43	S39 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:47
S42	30	S39 and S40 and Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 12:49
S43	3678385	"cat-5" or (cat near2 "5") or wir\$3 or cabl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:31

S44	2263	UTP same S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:31
S45	756	S44 same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:31
S46	49	S45 same (IP or (Internet near2 protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:32
S47	28	S46 and (@ad<"20031222" or @rlad<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:32
S48	5540120	(terminal\$1 or wir\$3 or connector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:35
S49	7123	"RJ-45" or "RJ45"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:35

S50	5122	S48 with S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:36
S51	4	S46 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 11:36
S52	71	UTP same Ethernet same IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/12 18:12
S53	49	S52 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/12 18:15
S54	16434	(UTP near2 (cabl\$3)) or UTP or cat\$1"5" or cat\$1"3"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/12 18:18
S55	1486	S54 same Ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/12 18:19

S56	116	S55 same IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/12 18:19
S57	76	S56 and (@ad<"20031222" or @rlad<"20031222" or @pd<"20031222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/12 18:19

1/2/2009 8:29:52 PM

C:\Documents and Settings\ashivers\My Documents\EAST\Workspaces\10596552 - ethernet based network for distributing IP and
Non-IP signals.wsp